Author Index

VOLUME 22, 2001

Andersson, G, 65
Avan, P, 405

Baguley, D, 5, 77
Bergan, C, 15
Besing, JM, 241
Bian, L, 325
Bray, VH, 183
Buki, B, 405

Change, P, 77
Chertoff, ME, 325
Collet, L, 319

Davies, WE, 89
Dionne, D, 1
Durrant, JD, 139, 321, 405

Eberwein, CA, 199

Frisina, RD, 213

Ghent, RM, Jr, 183

Hall, JW, III, 37
Harris, FP, 361
Haskell, G, 15
Haynes, DS, 37
Helfer, KS, 211, 271
Hood, LJ, 339
Humes, LE, 303

Jastreboff, MM, 51
Jastreboff, PJ, 51
Jerger, J, 255

Koehnke, J, 241
Kuk, F, 161

Lapsley Miller, JA, 393
Levine, RA, 23
Lindley, GA, 101, 139, 199
Lonsbury-Martin, BL, 377

Mack, HA, 199
Marshall, L, 393
Martin, GK, 377
McFadden, D, 347
Miller, E, 325
Moffat, DA, 77
Mueller, HG, 103

Nozza, RJ, 415

Pallet, S, 199
Palmer, CV, 3, 125, 139
Pichora-Fuller, MK, 227
Powers, TA, 103
Pratt, S, 139
Preece, J, 15
Probst, R, 361

Reich, GE, 7

Schneider, BA, 227
Schum, D, 173
Smurzynski, J, 361

Tyler, R, 15
Tun, PA, 287

Wingfield, A, 287

Copyright © 2001 by Thieme Medical Publishers, Inc., 333 Seventh Avenue, New York, NY 10001, USA. Tel: +1(212) 584-4662. 0271-8235,p;2001,22,04,429,430,ftx,en;sih00144x.

Subject Index

VOLUME 22, 2001

Acclimatization, hearing aid, 103–123
  average speech, 109–110
  expansion, 111
  loud input level, 110–111
  loudness categories, 107
  multichannel limiting compression, 113
  Profile of Aided Loudness (PAL) Self-Assessment Inventory and Score Sheet, 119–123
  soft input levels, 107–109
  software acclimatization module, 113–116, 117
  terminology, 105
  very soft input levels, 106–107
  wide dynamic range compression, 111–112
Acute acoustic trauma, 30
Adaptation, 199–206
  audio expansion, 195
  enhanced dynamic range compression, 161–170
  hearing aid, 125–137
    audiologist-driven *vs.* patient-driven fitting protocol, 139–157
  sound quality, 125–137
Adaptation management
  amplification, 173–181
    Adaptive Speech Alignment, 179, 180
  concept, 175–176
  indications for, 180
  loudness, 173–181
Age-related changes
  in auditory brainstem, 216–222
  binaural hearing, 241–251
    measures, 243
  in central auditory system, 213–222
  in cochlea, 214–222
  cognitive change, 290–291
    prosody, 290–291
  conceptual framework, 214–216
  in corpus callosum, 255–267
  dichotic listening
    cued listening, 257–258
    dichotic sentences, 256–257
    hemispheric asymmetries, 262–264
    linguistic *vs.* nonlinguistic tasks, 258–261
    morphosyntactic anomalies in continuous speech, 261–262
  distraction, 290
  divided attention, 295–296
  executive control, 290
  gender differences, 271–281
  hearing loss
    complex interaction, 242–243
    neurochemical and neuroanatomical bases, 213–222
  inhibition, 295–296
  in inner ear, 216
    hair cells, 216
    spiral ganglion cells, 216
  lateralization, 244
  linguistic context, 296–297
  localization, 244–245
  masking level differences, 243–244
  noise, 290
  precedence effect, 245–246
  processing speed, 288
  prosody, 296–297
  selective attention, 295–296
  sensory and cognitive change interactions, 287–298
  spatial hearing, 241–251
    measures, 243
  spatial resolution, 244–245
  speech perception, 227–236
    neural synchrony, 227–236
  speech processing, 216–222
  speech understanding, 246–248
  spoken language comprehension, 287–298
  temporal processing, 218–219, 227–236
    duration discrimination, 231–232
    envelope cues, 228–234
    fine structure, 234–235
    gap detection, 230–231, 232, 233
    neural synchrony, 227–236
    nonspeech, 234
    speech, 234–235

Copyright © 2001 by Thieme Medical Publishers, Inc., 333 Seventh Avenue, New York, NY 10001, USA. Tel: +1(212) 584-4662.

Age-related changes, temporal processing *(cont.)*
word discrimination, 232–234
time compression, 291–293
time restoration, 293–294
working memory, 288–290, 294–295
American Tinnitus Association, 7–10, 49
international societies, 10
professional partnerships, 9–10
publications, 8–9
Aminoglycoside, 377–389
Amplification
adaptation management, 173–181
Adaptive Speech Alignment, 179, 180
dynamic range, 176–178
audio expansion, 195
Androgen, 355–357
Anxiety Sensitivity Index, tinnitus, 67
Applied relaxation, 71
Attack time, 176, 177
Audio expansion, 183–196
adaptation, 195
amplification, 195
clinical verification, 191–192
coupler and probe microphone measurements, 191
functional gain measurements, 191
speech discrimination, 191–192, 193
expansion ratio, 186
expansion time constants, 186
functional and parametric review, 184–186
implemented in multiple channels, 186–188, 189, 190
knee-point, 185
Auditory brainstem
age-related changes, 216–222
gender differences, 273
Auditory function, asymmetry in elderly persons, 255–267
Auditory perception, otoacoustic emissions, 361–372
Autoimmune inner ear disease, 31
Autophony, 27

Bandwidth, 176
Binaural hearing, age-related changes, 241–251
Blowing tinnitus, 27

Calcium-binding protein, dorsomedial inferior colliculus, 219–220
Central auditory system, age-related changes, 213–222
Central nervous system, tinnitus, 30, 33
Cerebellopontine angle tumor, 29–30
Chronic progressive hearing loss, 31
Cisplatin, 377–389
Clicking tinnitus, 25–27
Cochlea
age-related changes, 214–222
hydrops, 405–412
otoacoustic emissions, 361–372
Cognitive behavioral treatment, tinnitus, 68–71
applied relaxation, 71
assessment strategies, 66–68
cognitive restructuring, 71
concentration, 71
relapse prevention, 71
sleep problems, 71
Cognitive change, age-related changes, 290–291
Cognitive functioning assessment, tinnitus, 68
Compression, 175–176
Compression threshold, 161–170
Concentration, 71
Conductive hearing loss, 29
Consultation, tinnitus, 37, 41–44
Corpus callosum, interhemispheric transfer of auditory information deficit, 255–267
Counseling
enhanced dynamic range compression, 169–170
tinnitus, 37, 41–44, 92

Dichotic listening, age-related changes
cued listening, 257–258
dichotic sentences, 256–257
hemispheric asymmetries, 262–264
linguistic *vs.* nonlinguistic tasks, 258–261
morphosyntactic anomalies in continuous speech, 261–262
Dichotic listening paradigm, 256
Dichotic sentences, 256–257
Distortion products, 325–337
Distraction, age-related changes, 290
Divided attention, age-related changes, 295–296
Dorsomedial inferior colliculus, calcium-binding protein, 219–220

Enhanced dynamic range compression
adaptation, 161–170
counseling, 169–170
high-level compression, 162–170
initial fit results, 162–170
low-compression threshold, 162–170
negative subjective reactions, 162–170
speech understanding, 162–170
Envelope cues, 228–234
Executive control, age-related changes, 290

Gain, 175
Gamma aminobutyric acid, 220–222

Gap detection, 230–231, 232, 233
Gaze-evoked tinnitus, 84
Gender differences
  in auditory anatomy and physiology, 272
  in auditory brainstem response, 273
  hearing
    age-related changes, 271–281
    hormonal explanation, 280
  otoacoustic emission, 272–273
  pure-tone threshold, 273–276
  speech recognition, 276, 278–279
Genetic factors, hereditary hearing loss, 339–343

Hearing, gender differences, 271–281
Hearing aid
  acclimatization to, 103–123
    average speech, 109–110
    expansion, 111
    loudness categories, 107
    multichannel limiting compression, 113
    Profile of Aided Loudness (PAL) Self-Assessment Inventory and Score Sheet, 119–123
    software acclimatization module, 113–116, 117
    terminology, 105
    wide dynamic range compression, 111–112
  adaptation to, 125–137
    audiologist-driven *vs.* patient-driven fitting protocol, 139–157
  built-in adaptation manager, 199–206
  development, 128–130
  effectiveness evaluation, 303–312
    clinical measures of performance, 305–308
    factor analysis, 303–312
    independent dimensions, 305–308
    outcome measures, 303–312
    when to obtain measures, 308–312
  fitting software, 199–206
  loudness, audiologist-driven *vs.* patient-driven fitting protocol, 139–157
  prescriptive fitting, 103–123
  programming, 104
  purpose of fitting session, 180
  sound quality, 125–137
    audiologist-driven *vs.* patient-driven fitting protocol, 139–157
    coherence function values, 133–137
    loud input level, 133–137
    quantified, 133–137
    soft input level, 133–137
  speech intelligibility, audiologist-driven *vs.* patient-driven fitting protocol, 139–157
  troubleshooting, 161–170
Hearing loss. *See also* Specific type
  age-related changes
    complex interaction, 242–243
    neurochemical and neuroanatomical bases, 213–222
  sound quality, quantified, 133–137
Hearing screening
  middle-ear disorder, 418–420
  otoacoustic emissions, 415–423
Hereditary hearing loss, 339–343
  otoacoustic emissions, 342–343
Herpes zoster oticus, 29
High-level compression, 161–170
Homogeneity, 325–337
Homosexuality, otoacoustic emissions, 347–357
Hydrops
  cochlea, 405–412
  otoacoustic emissions, 405–412
Hyperacusis habituation, 53–58

Inhibition, age-related changes, 295–296
Inner ear, age-related changes, 216
  hair cells, 216
  spiral ganglion cells, 216
Intralabyrinthine pressure, otoacoustic emissions, 409–412

Lateralization, age-related changes, 244
Lignocaine (lidocaine), 96–97
Linear system, 325–337
Linguistic context, age-related changes, 296–297
Localization, age-related changes, 244–245
Loudness
  adaptation management, 173–181
  hearing aid, audiologist-driven *vs.* patient-driven fitting protocol, 139–157

Magnetic resonance imaging, vestibular schwannoma, 77
Masking level differences, age-related changes, 243–244
Ménière's syndrome, 29, 405–412
Multichannel limiting compression, 113

Noise
  age-related changes, 290
  otoacoustic emissions, monitoring requirements of, 393–400
Nonlinear system, 325–337

Otoacoustic emissions, 29
  auditory perception, 361–372
  coclea, 361–372
  gender differences, 272–273

Otoacoustic emissions *(cont.)*
in hearing screening, 415–423
hereditary hearing loss, 342–343
homosexuality, 347–357
hydrops, 405–412
intralabyrinthine pressure, 409–412
noise, monitoring requirements of, 393–400
ototoxicity, 377–389
psychoacoustics, 361–372
Ototoxicity, 377–389
Outcome statistics, 44–46

Perilymphatic fistula, 29
Placebo effect, 15–16
Precedence effect, age-related changes, 245–246
Presbycusis, neurochemical and neuroanatomical bases, 213–222
Prescriptive fitting, hearing aid, 103–123
Prosody, 290–291
age-related changes, 296–297
Psychoacoustics, otoacoustic emissions, 361–372
Pulsatile tinnitus, 24–25, 26
Pure-tone threshold, gender differences, 273–276

Ramsay-Hunt syndrome, 29

Selective attention, age-related changes, 295–296
Self-help group, tinnitus, 10–12
SENSO P38 digital hearing aid
high-compression threshold, 162–170
initial fit results, 162–170
low-compression threshold, 162–170
negative subjective reactions, 162–170
speech understanding, 162–170
Sexual differentiation, otoacoustic emissions, 347–357
Sleep problems, 71
Slope, 325–337
Sound quality
adaptation, 125–137
with hearing aid, 125–137
audiologist-driven *vs.* patient-driven fitting protocol, 139–157
coherence function values, 133–137
loud input level, 133–137
quantified, 133–137
soft input level, 133–137
hearing loss, quantified, 133–137
Spatial hearing, age-related changes, 241–251
measures, 243
Spatial resolution, age-related changes, 244–245
Speech intelligibility, hearing aid, 139–157
Speech perception, age-related changes, 227–236
neural synchrony, 227–236
Speech processing, age-related changes, 216–222
Speech recognition, gender differences, 276, 278–279
Speech understanding, age-related changes, 246–248
Spiral ganglion cells, 216
Spoken language comprehension, age-related changes, 287–298
Sudden idiopathic hearing loss, 30
Superposition, 325–337

Temporal processing
age-related changes, 218–219, 227–236
duration discrimination, 231–232
envelope cues, 228–234
fine structure, 234–235
gap detection, 230–231, 232, 233
neural synchrony, 227–236
nonspeech, 234
speech, 234–235
word discrimination, 232–234
types, 228–235
Time compression, age-related changes, 291–293
Time restoration, age-related changes, 293–294
Tinnitus
alternative psychological treatments, 72
Anxiety Sensitivity Index, 67
audiologic assessment, 40–44
behavioral therapy, 92
central nervous system, 30, 33
characteristics, 38, 44–46
cochlear transduction, 51–52
cognitive behavioral treatment, 68–71
applied relaxation, 71
assessment strategies, 66–68
cognitive restructuring, 71
concentration, 71
relapse prevention, 71
sleep problems, 71
cognitive functioning assessment, 68
conditioned reflexes, 53–55
consultation, 37, 41–44
counseling, 37, 41–44, 92
diagnosis, 23–35, 37–47
ethical issues, 19
future clinical trials, 90–92
future pharmacologic studies
immuno-histochemistry, 95–96
lignocaine (lidocaine), 96–97
nerve cells, 95
receptor populations, 95
sensitive radio-ligand mapping, 95
in situ hybridization, 96
synapse formation, 96

hallucination, 27
informal support and counseling, 7–12
interview, 68, 69
multifactorial, 33–34
neuronal activity, 53–55
neurophysiologic model, 53
  basic principles of neuroscience, 53–55
nonspecific, 27–33
past pharmacologic studies, 90
pathology, 93–95
patient expectations, 15–19
patient questionnaire, 47–49
as phantom auditory perception, 51–53
pharmacologic treatment, 89–97
psychological approach, 65–74
  treatment results, 73
questionnaires, 66–68
referral, 72
self-assessment instrument, 66–68
self-help group, 10–12
specific, 24–27
trigger factor, 34
unilateral, 24, 29–31
unilateral or nonlateralized, 24–27, 30–33
unilateral somatic factor, 33, 34
vestibular schwannoma, 77–85
  diagnostic significance of unilateral tinnitus, 80–81
  gaze-evoked tinnitus, 84
  incidence, 78
  management, 84–85
  tinnitus after surgery for vestibular schwannoma, 81–84
  tinnitus etiology, 79–80
Visual Analogue Scale, 68
Tinnitus Retraining Therapy, 51–61
  clinical studies, 59–60
  effectiveness, 59–60
  habituation, 55–57
  hyperacusis, 56–57
  interactive teaching/counseling sessions with sound, 57–58
  principles, 55–57
Tympanometry, 422–423

Vestibular schwannoma
  magnetic resonance imaging, 77
  natural history, 78
  tinnitus, 77–85
    gaze-evoked tinnitus, 84
    incidence, 78
    management, 84–85
    tinnitus after surgery for vestibular schwannoma, 81–84
    tinnitus etiology, 79–80
Visual Analogue Scale, tinnitus, 68

Wide dynamic range compression, 111–112
  limitations, 183–184
Word discrimination, 232–234
Working memory, age-related changes, 288–290, 294–295